



## The State of Kuwait

Patient Name : BANDAR S H S ALENEZI	Lab ID : AO
Civil ID :	Patient File : 299592
Passport No : P05255382	Reg Date : 08-09-2021
Age/sex : 34/M	Sampling Date : 07-09-2021 09:05 AM
Nationality : KUWAIT	Result Date : 08-08-2021 01:52 AM
Ref. Drs : LAB	Serial Number : LBAO-02-21-033257

### MOLECULAR BIOLOGY REPORT

TEST	RESULT
SARS COV-2(COVID 19)	Negative

Sample type : VTM with Nasopharyngeal Swab  
SARS COV-2(COVID19) : **Negative**

**Negative**

This test is a qualitative PCR Test. Not detected indicates that SARS-COV-2 RNA is either not present in the specimen or is present at a concentration below the assay lower limit of detection. this result may be influenced by the stage of infection and the quantity of specimen collected for testing.

Methodology: RT PCR(NAAT)

Remarks:

REAL TIME PCR COVID-19 detection kit is a real time PCR based in Vitro diagnostic Medical device that is designed to detect the infection of Novel Coronavirus SARS COV-2(COVID19) by examination of nucleic acid extracted from nasopharyngeal smears.

**Note:** Kindly Refer to appropriate Public Health Authorities (MOH)